APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Dat	e of filing in State Engineer's Office
Ret	urned to applicant for correction
Cor	rected application filed
	The applicant Independence Mining Company, Inc.
	HC 31, Box 78 of E1ko Street and No. or P.O. Box No. City or Town
	Nevada 89801 hereby makes. application for permission to change the
	point of diversion and place of use of a portion
of v	Point of diversion, manner of use, and/or place of use vater heretofore appropriated under permit #51163 Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and
ident	ify right in Decree.
1.	The source of water is
2.	The amount of water to be changed 0.25 C.f.s. Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3.	The water to be used for mining and milling (de-watering of mine zone-non-consumptive) Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4.	The water heretofore permitted for mining and milling, and domestic Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
	The water is to be diverted at the following point within the NE's SW's Sec. 2, T.42N., R.53E., Describe as being within a 40-acre subdivision of public survey and by course and MDM, from which the SE corner of Sec. 31, T.43N., R.54E., bears N. 74° 22' distance to a section corner. If on unsurveyed land, it should be stated. E 13.886 ft. dist.
6.	The existing permitted point of diversion is located within the SE¼ SE½ Sec. 32, T.43N., R.54E., If point of diversion is not changed, do not answer. from which the SW corner of said section bears S. 86° 54' W., 4,290 ft. dist.
7.	Proposed place of use Section 1 and 2 T.42N., R.53E., MDM. Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
8.	Existing place of use N½ Sec. 3, T.42N., R.54E., and S½ S½ Sec. 34, T.43N., Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or R.54E., MDM. manner of use of irrigation permit, describe acreage to be removed from irrigation.
9.	Use will be from January 1 to December 31 of each year. - Month and Day Month and Day
10.	Use was permitted from January 1 to December 31 of each year. Month and Day Month and Day
11.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) <u>Small diameter drilled well to a depth below</u> State manner in which water is to be diverted, i.e. diversion structure,
	design of ultimate mine pit depth; casing, submersible electric pump and motor. ditches, pipes and flumes, or drilled well, etc.
12.	Estimated cost of works\$20.000.00
13.	Estimated time required to construct works

minute t harmful in compl Protecti developm	o a central components I iance with a on. The purent. No otle	collection before disc a discharge mps will be her benefic	pond and as require harge into the North permit issued by the operated for this part ial use of this wate expired temporary cha	an estimated 1.000 gallons pered, to be treated to remove any Fork of the Humboldt River, we Division of Environmental ourpose for the life of the mirer is contemplated by the appliance permit for the same purposes.
Compared bc/	bc	cl/cms	By s/William 421 Court Elko, Nev	ı A. Nisbet Street ada 89801
Protested				
		— API	PROVAL OF STATE ENG	
This is to ce following limitati			foregoing application, and	do hereby grant the same, subject to the
diversion The total the proof installed	n and accura Lizing meter f of complet I and mainta	te measurem : must be ir :ion of work ained to pr	ments must be kept of nstalled before any t k is filed. If the	charge pipeline near the point f water placed to beneficial us use of the water begins or befo well is flowing, a valve must source is located within an a
to regula Thi public, r The ground le The 53003, 53 will not	ate the use is permit do private or ce well must evel to 100 e total combozzo, 53272,	of the water of the water of the extended water of the control of	er herein granted at end the permittee th ands. with cement grout, co of water under Perm 76, 59077, 59078, 590	.030. The State retains the rig
to regula Thi public, r The ground le The 53003, 53 Will not (CONTINUE	ate the use is permit do private or comment of the well must evel to 100 e total comment of the	of the water of the water of the water of extending the sealed water of the sealed wat	er herein granted at end the permittee thends. with cement grout, confider of water under Perm 76, 59078, 590 yallons annually (1,1) which cannual to the amount which we amount which which cannual to the amount which amount which we amount which which we	.030. The State retains the rig any and all times. We right of ingress and egress concrete grout or neat cement fr mits 51163, 51292, 52452, 5300 079, 59080, 59081, 59082 and 590 157.0 acre-feet annually).
to regula Thi public, r The ground le ground 3 53003, 53 will not (CONTINUE The amount of w exceed	ate the use is permit do private or ce well must evel to 100 e total combe 271, 53272, exceed 377. ED ON PAGE 2 vater to be change 0.25	of the water of the water of the extended was feet. bined duty 0 million of the control of the c	er herein granted at end the permittee thends. with cement grout, confidence of water under Permittee, 59077, 59078, 590 gallons annually (1,1) which can be compared to the amount which can be confidence of the	.030. The State retains the rigany and all times. The right of ingress and egress oncrete grout or neat cement from the state of the st
to regula Thi public, r The ground le ground 16 53003, 53 will not (CONTINUE The amount of w exceed	ate the use is permit do private or ce well must evel to 100 e total combe 271, 53272, exceed 377. ED ON PAGE 2 vater to be change 0.25	of the water of the water of the extended was feet. bined duty 0 million of the control of the c	er herein granted at end the permittee thends. with cement grout, confidence of water under Permittee, 59077, 59078, 590 gallons annually (1,1) which can be compared to the amount which can be confidence of the	.030. The State retains the rig any and all times. We right of ingress and egress concrete grout or neat cement fr mits 51163, 51292, 52452, 5300 079, 59080, 59081, 59082 and 590 157.0 acre-feet annually).
to regula Thi public, r The ground le The 53003, 53 will not (CONTINUE The amount of w exceed annually.	ate the use is permit do private or converte or converte to 100 e total combours 271, 53272, exceed 377. ED ON PAGE 2 exter to be changed 0.25	of the water of the water of the water of extending the sealed water of the sealed wat	er herein granted at end the permittee thends. with cement grout, confidence of water under Permited to the amount which cannot be to the amount which cannot be to the confidence of the per second.	.030. The State retains the rigany and all times. The right of ingress and egress oncrete grout or neat cement from the state of the st
to regula Thi public, r The ground le The 53003, 53 Will not (CONTINUE The amount of w exceed	ate the use is permit do private or converte or converte or converte to 100 e total combours 271, 53272, exceed 377. ED ON PAGE 2 vater to be changed 0.25	of the water of the water of the water of externor extern	er herein granted at end the permittee thends. with cement grout, confidence of water under Permited to the amount which can be completed on or the end to the th	any and all times. The right of ingress and egress oncrete grout or neat cement from the state of the state o
to regula Thi public, p The ground le The 53003, 53 will not (CONTINUE The amount of w exceed annually. Work must be pro	ate the use is permit do private or converte or conver	of the water of the water of the water of extending the sealed was feet. The bined duty 53273, 590 of million of the sealed was asonable diligent to the filed before the sealed water of the filed before the sealed water of the	er herein granted at end the permittee the ands. with cement grout, confidence of water under Perm 76, 59077, 59078, 590 gallons annually (1, 1) white to the amount which can be completed on or the and be completed on or the end the and be completed on or the end the end to the amount which can be completed on or the end to the	any and all times. The right of ingress and egress oncrete grout or neat cement from the second seco
to regula Thi public, r The ground le The 53003, 53 will not (CONTINUE The amount of w exceed annually. Work must be pro Proof of completi Application of wa	ate the use is permit do private or converte or converte or converte to 100 er total combos 271, 53272, exceed 377. ED ON PAGE 2 exter to be changed 0.25 exceed with reason of work shall ater to beneficial	of the water of the water of the water of exterior of the sealed was feet. The bined duty 53273, 590° (a) as onable diligent of the filed before the water of the shall be marked as onable diligent of the shall be marked by the sh	er herein granted at end the permittee the ends. with cement grout, co of water under Perm 76, 59077, 59078, 590 gallons annually (1,2) mited to the amount which can cubic feet per second.	any and all times. The right of ingress and egress oncrete grout or neat cement from the state of the state o
to regula Thi public, p The ground le The 53003, 53 will not (CONTINUE The amount of w exceed	ate the use is permit do private or converte or converte or converte to 100 e total combos 271, 53272, exceed 377. ED ON PAGE 2 exter to be changed 0.25 exceed with reason of work shall deter to beneficial decation of water to	of the water of the water of the water of externor extern	er herein granted at end the permittee thends. with cement grout, co of water under Perm 76, 59077, 59078, 590 gallons annually (1,1) mited to the amount which can cubic feet per second. The completed on or the end on or before shall be filed on or before.	.030. The State retains the rigany and all times. The right of ingress and egress oncrete grout or neat cement from the state of the st
to regula Thi public, p The ground le The 53003, 53 will not (CONTINUE The amount of w exceed	ate the use is permit do private or converte or converte or converte to 100 e total combos 271, 53272, exceed 377. ED ON PAGE 2 exter to be changed 0.25 exceed with reason of work shall deter to beneficial decation of water to	of the water of the water of the water of externor extern	er herein granted at end the permittee the ends. with cement grout, consistency of water under Permited, 59077, 59078, 590 gallons annually (1,2) mited to the amount which cannot be completed on or the end on or before. The end on or before the end on or before the end on or before the end on or before.	.030. The State retains the right any and all times. The right of ingress and egress oncrete grout or neat cement from the states of the state
to regula Thi public, p The ground le The 53003, 53 will not (CONTINUE The amount of w exceed	ate the use is permit do private or converte or converte or converte or converte to 100 er total combination of water to be changed on of work shall dication of water to beneficial for conformation of control of the conformation of the conformati	of the water of the water of the water of externor externor externor of the sealed water of the sealed water of the sealed water of the sealed water of the sealed before the sealed before the sealed be made of the sealed before of the sealed water of	er herein granted at end the permittee the ends. with cement grout, co of water under Perm 76, 59077, 59078, 590 gallons annually (1,1) mited to the amount which came cubic feet per second	any and all times. The right of ingress and egress oncrete grout or neat cement from the state of the state o
to regula Thi public, r The ground le The 53003, 53 will not (CONTINUE The amount of w exceed	ate the use is permit do private or converte or converte or converte to 100 e total combos 271, 53272, exceed 377. ED ON PAGE 2 exter to be changed 0.25 exceed with reason of work shall exter to beneficial exaction of water to force of beneficial filed	of the water of the water of the water of externor at large sealed was feet. The bined duty 53273, 590 of million of the water of the filed before the water of the shall be made to beneficial use shall be call use shall use shall use shall use shall use shall be call use shall use	er herein granted at end the permittee the ends. with cement grout, co of water under Perm 76, 59077, 59078, 590 yallons annually (1,1) white to the amount which can cubic feet per second. In testimony where state Engineer of Neva for the end of the engineer of Neva for the end of th	any and all times. The right of ingress and egress oncrete grout or neat cement from the first 51163, 51292, 52452, 5300 079, 59080, 59081, 59082 and 5900 157.0 acre-feet annually). The applied to beneficial use, and not to but not to exceed 54.17 acre-feet march 1, 1997 Defore January 30, 1997 March 1, 1998 March 1, 1998 N/A N/A R. MICHAEL TURNIPSEED, P. da, have hereunto set my hand and the seal of my
to regula Thi public, p The ground le The 53003, 53 will not (CONTINUE The amount of w exceed	ate the use is permit do private or converte or conver	of the water of the water of extended land water feet. The bined duty of the filled be limited asonable diligentate was shall be made to beneficial use shall be made of the filled before was shall be made of the f	er herein granted at end the permittee the ends. with cement grout, co of water under Perm 76, 59077, 59078, 590 yallons annually (1,2) white to the amount which can cubic feet per second. In the completed on or before the shall be filed on or before the filed on or before	any and all times. The right of ingress and egress oncrete grout or neat cement from the state of the state o
to regula Thi public, g The ground le The 53003, 53 will not (CONTINUE The amount of w exceed	ate the use is permit do private or converte or conver	of the water of the water of the water of externor extern	er herein granted at end the permittee the ends. with cement grout, co of water under Perm 76, 59077, 59078, 590 yallons annually (1,2) white to the amount which can cubic feet per second. In ce and be completed on or the end on or before. In testimony where state Engineer of Neva office, this. 3Ct A.D. 19. 26	any and all times. The right of ingress and egress oncrete grout or neat cement from the first 51163, 51292, 52452, 5300 079, 59080, 59081, 59082 and 5900 157.0 acre-feet annually). The applied to beneficial use, and not to but not to exceed 54.17 acre-feet march 1, 1997 Defore January 30, 1997 March 1, 1998 March 1, 1998 N/A N/A R. MICHAEL TURNIPSEED, P. da, have hereunto set my hand and the seal of my

(O)-1108 (Rev. 6-81)

(PERMIT TERMS CONTINUED)

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit

holder obtain other permits from State, Federal and local agencies.

Monthly measurements shall be kept and submitted to the State Engineer within 15 days after the end of each calendar quarter which shall include: the volume of water pumped from each well, the rate of diversion pumped from each well, the water level measurement (drawdown) from each well and the volume of water consumptively used for mining and milling purposes.